

[illegible]

```
SSSSSSSS  AAAAAA  TTTTTTTTTT  SSSSSSSS  SSSSSSSS  SSSSSSSS  666666  11
SSSSSSSS  AAAAAA  TTTTTTTTTT  SSSSSSSS  SSSSSSSS  SSSSSSSS  666666  11
SS        AA      AA      TT        SS        SS        SS        66      1111
SS        AA      AA      TT        SS        SS        SS        66      1111
SS        AA      AA      TT        SS        SS        SS        66      11
SS        AA      AA      TT        SS        SS        SS        66      11
SSSSSSS   AA      AA      TT        SSSSSS   SSSSSS   SSSSSS   66666666  11
SSSSSSS   AA      AA      TT        SSSSSS   SSSSSS   SSSSSS   66666666  11
SS        AA      AA      TT        SS        SS        SS        66      11
SS        AA      AA      TT        SS        SS        SS        66      11
SS        AA      AA      TT        SS        SS        SS        66      11
SSSSSSSS  AA      AA      TT        SSSSSSSS  SSSSSSSS  SSSSSSSS  666666  111111
SSSSSSSS  AA      AA      TT        SSSSSSSS  SSSSSSSS  SSSSSSSS  666666  111111
                                     ....
                                     ....
                                     ....
                                     ....

LL        IIIIII  SSSSSSSS
LL        IIIIII  SSSSSSSS
LL        II      SS
LL        II      SS
LL        II      SS
LL        II      SSSSSS
LL        II      SSSSSS
LL        II      SS
LL        II      SS
LL        II      SS
LL        II      SS
LLLLLLLLLL IIIIII  SSSSSSSS
LLLLLLLLLL IIIIII  SSSSSSSS
```

(1)	55	DECLARATIONS
(1)	119	CONDITION TABLES
(1)	167	TM SETUP, TM CLEANUP
(1)	260	CONDITION SUBROUTINES - SETUP AND CLEANUP
(1)	353	FORM_CONDS
(1)	446	VERIFY
(1)	623	VFY_CLEANUP
(2)	685	WATCH_AST

```
0000 1 .TITLE SATSSS61 SATS SYST SERV TESTS $SCH/CANWAK (SUCC S.C.)
0000 2 .IDENT 'V04-000'
0000 3
0000 4
0000 5 *****
0000 6
0000 7 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0000 8 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0000 9 * ALL RIGHTS RESERVED.
0000 10
0000 11 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0000 12 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0000 13 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0000 14 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0000 15 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0000 16 * TRANSFERRED.
0000 17
0000 18 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0000 19 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0000 20 * CORPORATION.
0000 21
0000 22 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0000 23 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0000 24
0000 25
0000 26 *****
0000 27
0000 28
0000 29 ++
0000 30 FACILITY: SYSTST (SATS SYSTEM SERVICE TESTS)
0000 31
0000 32 ABSTRACT:
0000 33
0000 34 THIS MODULE CONTAINS SUBROUTINES WHICH, WHEN LINKED
0000 35 WITH SUCCOMMON.OBJ, FORM TEST MODULE SATSSS61 TO TEST SUCCESSFUL
0000 36 OPERATION OF THE $SCH/CANWAK SYSTEM SERVICE. THE SERVICE IS INVOKED
0000 37 UNDER VARIOUS INPUT CONDITIONS WITH VARYING INPUT PARAMETERS. ONLY
0000 38 SUCCESSFUL STATUS CODES ARE EXPECTED IN THIS TEST MODULE. CORRECT
0000 39 OPERATION OF THE SERVICE FOR EACH OF ITS ISSUANCES IS VERIFIED BY
0000 40 CHECKING FOR AN SS$ NORMAL STATUS CODE, EXPECTED RETURN ARGUMENTS
0000 41 AND EXPECTED FUNCTIONALITY PERFORMED.
0000 42
0000 43 ENVIRONMENT: USER MODE IMAGE; NEEDS CMKRNL PRIVILEGE,
0000 44 DYNAMICALLY ACQUIRES OTHER PRIVILEGES, AS NEEDED.
0000 45
0000 46 AUTHOR: THOMAS L. CAFARELLA, CREATION DATE: APR, 1977
0000 47
0000 48 MODIFIED BY:
0000 49
0000 50 V03-001 LDJ0001 Larry D. Jones, 23-Jun-1983
0000 51 Removed the quota list to force the use of the
0000 52 default sysboot quotas.
0000 53 --
```

```
0000 55 .SBTTL DECLARATIONS
0000 56 ;
0000 57 ; INCLUDE FILES:
0000 58 ;
0000 59 $PRVDEF ; PRIVILEGE BIT DEFINITIONS
0000 60 $PHDDEF ; PROCESS HEADER OFFSETS
0000 61 $PQLDEF ; PROCESS QUOTA CODES
0000 62 $PCBDEF ; PCB LABELS
0000 63 $DIBDEF ; DEVICE INFO BLOCK OFFSETS
0000 64 ;
0000 65 ; MACROS:
0000 66 ;
0000 67 ;
0000 68 ; EQUATED SYMBOLS:
0000 69 ;
00989680 0000 70 ONE_SEC = 10*1000*1000 ; 10 MILLION 100-NANOSECOND UNITS (OR 1 SEC)
0000 71 ;
0000 72 ; OWN STORAGE:
0000 73 ;
```

```
00000000 75 .PSECT RODATA, RD, NOWRT, NOEXE, LONG
0000 76 TEST_MOD_NAME:: STRING C, <SATSSS61> ; TEST MODULE NAME
0009 77 TEST_MOD_NAME_D: STRING I, <SATSSS61> ; TEST MODULE NAME DESCRIPTOR
0019 78 MSG1_INP_CTL: STRING I, <SSSCW!4ZW: CONDITIONS:>
0039 79 ;
0039 80 MSG3_ERR_CTL:: STRING I, <*SSSCW!4ZW: !AS> ; FAO CTL STRING FOR MSG1 IN SUCCOMMON.MAR
0051 81 ;
0051 82 SUBJPRN: STRING I, <SATSSS61 CRE> ; FAO CTL STRING FOR MSG3 IN SUCCOMMON.MAR
0065 83 IMAGNAM: STRING I, <SYSTST$RES: SATSUT07.EXE> ; PROCESS & MBX NAME FOR CREATED PROCESS
31 36 53 53 0000008C'010E0000' 0084 84 CLUSTER: .ASCID /SS61/ ; IMAGE NAME FOR CREATED PROC
0090 85 ; STRING DESCRIPTOR FOR CLUSTER
0090 86 ;QUOTALIST: $QUOTA CPULM, 0 ; ... FOR CREATED PROCESS COMMUNICATION
0090 87 ; $QUOTA BYTLM, 512 ; INFINITE CPU
0090 88 ; $QUOTA FILLM, 2 ; BYTE LIMIT FOR BUFFERED I/O
0090 89 ; $QUOTA PGFLQUOTA, 10 ; OPEN FILE COUNT LIMIT
0090 90 ; $QUOTA PRCLM, 2 ; PAGING FILE QUOTA
0090 91 ; $QUOTA TQELM, 3 ; SUBPROCESS QUOTA
0090 92 ; $QUOTA LISTEND ; TIMER QUEUE ENTRY QUOTA
0090 93 DELTA_1SEC: .LONG -ONE_SEC, -1 ; DEFINES END OF LIST
FFFFFFFF FF676980 0098 94 DELTA_2SEC: .LONG -2*ONE_SEC, -1 ; DELTA TIME VALUE FOR 1 SECOND
FFFFFFFF FECED300 00A0 95 DELTA_3SEC: .LONG -3*ONE_SEC, -1 ; DELTA TIME VALUE FOR 2 SECONDS
FFFFFFFF FA0A1F00 00A8 96 DELTA_10SEC: .LONG -10*ONE_SEC, -1 ; DELTA TIME VALUE FOR 3 SECONDS
FFFFFFFF FFD9DA60 00B0 97 DELTA_QSEC: .LONG -<ONE_SEC/4>, -1 ; DELTA TIME VALUE FOR 10 SECONDS
00000000 01C9C380 00B8 98 POS_3SEC: .LONG 3*ONE_SEC, 0 ; DELTA TIME VALUE FOR A QUARTER-SECOND
00C0 99 TIME_PAST: STRING I, <25-DEC-1973 21:46:00.00> ; 3 SECONDS (POSITIVE VALUE) ; A TIME IN THE PAST
```

00000000	0000	101	.PSECT	RWDATA,RD,WRT,NOEXE, LONG	
00000008	0000	102	PRIVMASK:	.BLKQ 1	; ADDR OF PRIVILEGE MASK (IN PHD)
0000000C	0008	103	MBXCHAN:	.BLKL 1	; CHAN. NO. FOR MAILBOX FOR CREATED PROCESS
	000C	104	MBXCHANINFO:		; CHANNEL INFO RETURNED BY GETCHN
00000074	000C	105		.LONG DIB\$K_LENGTH	
00000014	0010	106		.ADDRESS +4	
00000088	0014	107		.BLKB DIB\$K_LENGTH	
0000008C	0088	108	MBXUNIT:	.BLKL 1	; SAVE AREA FOR MAILBOX UNIT NUMBER
	008C	109	MBXBUFF:	STRING 0,120	; MAILBOX BUFFER FOR CREATED PROCESS
00000110	010C	110	DEST_PIDADR:	.BLKL 1	; DESTINATION PID ADDR, WRITTEN BY S.S.
00000114	0110	111	ZEROPID:	.BLKL 1	; PID OF ZEROES
00000000	0114	112	SELPID:	.LONG 0	; PID OF THIS PROCESS
0000011C	0118	113	CREPID:	.BLKL 1	; PID OF CREATED PROCESS
00000120	011C	114	SUBJPID:	.BLKL 1	; PID OF SUBJECT PROCESS (SELF OR OTHER)
00000128	0120	115	ABS_3SEC:	.BLKQ 1	; WILL HOLD ABS TIME VALUE FOR NOW + 3 SECS
00000130	0128	116	ABS_PAST:	.BLKQ 1	; WILL HOLD ABS TIME VALUE FOR TIME IN PAST
00000131	0130	117	LONG_WAIT:	.BLKB 1	; LONG WAIT INDICATOR; 0=NO LONG WAIT

```
.SBTTL CONDITION TABLES
***** CONDITION TABLES FOR SCH/CANWAK SYSTEM SERVICE *****

COND 1,NOTARG,<PID ADDRESS>,-
      <NOT SPECIFIED>,-
      <SPECIFIED, NON-ZERO>,-
      <SPECIFIED, ZERO>,-
      .ADDRESS 0
      .ADDRESS SUBJPID
      .ADDRESS ZEROPID

COND 2,NOTARG,<PROCESS NAME ADDRESS>,-
      <SPECIFIED>,-
      <NOT SPECIFIED>,-
      .ADDRESS SUBJPRN
      .ADDRESS 0

COND 3,NOTARG,<PROCESS TYPE>,-
      <SELF>,-
      <SUBPROCESS>,-
      <DETACHED, DIFFERENT GROUP>,-
      <DETACHED, SAME GROUP, SAME MEMBER>,-
      <DETACHED, SAME GROUP, DIFFERENT MEMBER>,-
      .LONG ^XFFFFFFFF : PSEUDO-UIC
      .LONG 0 : PSEUDO-UIC
      .BLKL 1 : UIC
      .BLKL 1 : UIC
      .BLKL 1 : UIC

COND 4,NOTARG,<ORDERING OF CANCEL/WAKE/REPEAT>,-
      <CANCEL, WAKE, REPEAT>,-
      <WAKE, CANCEL, REPEAT>,-
      <WAKE, REPEAT, CANCEL>,-
      <WAKE, CANCEL>,-
      .ADDRESS ABS_3SEC,DELTA_1SEC : DAYTIM, REPTIM ARG ADDRESSES
      .ADDRESS DELTA_1SEC,DELTA_3SEC : DAYTIM, REPTIM ARG ADDRESSES
      .ADDRESS ONES,ONES : DAYTIM, REPTIM ARG ADDRESSES
      .ADDRESS DELTA_1SEC,0 : DAYTIM, REPTIM ARG ADDRESSES

COND 5,NULL
.PSECT SATSSS61,RD,WRT,EXE
```

CONDITION	TABLES	TESTS
0131	119	
0131	120	:
0131	121	:
0131	122	:
0131	123	:
0131	124	:
0131	125	:
0131	126	:
0131	127	:
00000000	017C	128
0000011C	0180	129
00000110	0184	130
	0188	131
	0188	132
	0188	133
	0188	134
	0188	135
00000051	01BE	136
00000000	01C2	137
	01C6	138
	01C6	139
	01C6	140
	01C6	141
	01C6	142
	01C6	143
	01C6	144
	01C6	145
FFFFFFFF	025B	146
00000000	025F	147
00000267	0263	148
0000026B	0267	149
0000026F	026B	150
	026F	151
	026F	152
	026F	153
	026F	154
	026F	155
	026F	156
	026F	157
00000090	00000120	02EB 158
000000A0	00000090	02F3 159
00000000	00000000	02FB 160
00000000	00000090	0303 161
	030B	162
	030B	163
	030C	164
00000000		165

```
0000 167 .SBTTL TM_SETUP, TM_CLEANUP
0000 168 :++
0000 169 : FUNCTIONAL DESCRIPTION:
0000 170 :
0000 171 :         TM_SETUP AND TM_CLEANUP ARE CALLED TO PERFORM
0000 172 : REQUIRED HOUSEKEEPING AT THE BEGINNING AND END, RESPECTIVELY, OF
0000 173 : TEST MODULE EXECUTION.
0000 174 :
0000 175 : CALLING SEQUENCE:
0000 176 :
0000 177 :         BSBW TM_SETUP  BSBW TM_CLEANUP
0000 178 :
0000 179 : INPUT PARAMETERS:
0000 180 :
0000 181 :         NONE
0000 182 :
0000 183 : IMPLICIT INPUTS:
0000 184 :
0000 185 :         NONE
0000 186 :
0000 187 : OUTPUT PARAMETERS:
0000 188 :
0000 189 :         NONE
0000 190 :
0000 191 : IMPLICIT OUTPUTS:
0000 192 :
0000 193 :         TM_SETUP:  COND TABLE INDEX REGISTERS (R2,3,4,5,6) CLEARED;
0000 194 :                   ALL PRIVILEGES ACQUIRED.
0000 195 :
0000 196 : COMPLETION CODES:
0000 197 :
0000 198 :         EFLAG SET TO NON-ZERO IF ERROR ENCOUNTERED.
0000 199 :
0000 200 : SIDE EFFECTS:
0000 201 :
0000 202 :         SS_CHECK AND ERR_EXIT MACROS CAUSE PREMATURE EXIT
0000 203 : (VIA RSB) IF ERROR ENCOUNTERED.
0000 204 :
0000 205 : --
0000 206 :
0000 207 :
0000 208 :
0000 209 TM_SETUP::
52  D4 0000 210 CLRL R2 ; INITIALIZE
53  D4 0002 211 CLRL R3 ; .. CONDITION
54  D4 0004 212 CLRL R4 ; .... TABLE
55  D4 0006 213 CLRL R5 ; ..... INDEX
56  D4 0008 214 CLRL R6 ; ..... REGISTERS
FFF3' 30 000A 215 BSBW MOD MSG PRINT ; PRINT TEST MODULE BEGIN MSG
00000000'EF 00000000'EF DE 000D 216 MOVAL TEST MOD_SUCC,TMD_ADDR ; ASSUME END MSG WILL SHOW SUCCESS
03 00 00000000'8F FO 0018 217 INSV #SUCCESS,#0,#3,MOD_MSG_CODE ; ADJUST STATUS CODE FOR SUCCESS
00000000'EF 0020
59 00000000'9F DO 0048 218 MODE TO,5$,KRNL ; KERNEL MODE TO ACCESS PHD
00000000'EF 69 DE 004F 219 MOVL @#CTL$GL_PHD,R9 ; GET PROCESS HEADER ADDRESS
0056 220 MOVAL PHD$Q PRIVMSK(R9),PRIVMASK ; GET PRIV MASK ADDRESS
0057 221 MODE FROM,5$ ; BACK TO USER MODE
222 PRIV ADD,ALL ; GET ALL PRIVILEGES
```

```
0077 223 $SETPRN S TEST MOD_NAME_D ; SET PROCESS NAME
0084 224 SS_CHECK NORMAL ; CHECK STATUS CODE RETURNED FROM SETPRN
0082 225 $WAKE S SELFPIID ; GET MY PID
00C1 226 SS_CHECK NORMAL ; CHECK FOR NORMAL RETURN
00EF 227 $HTBER S ; UNDO ABOVE WAKE
00F6 228 SS_CHECK NORMAL ; CHECK FOR NORMAL RETURN
0124 229
0124 230 : THE FOLLOWING CODE ESTABLISHES UIC'S IN THE CONDITION 3 TABLE
0124 231 :
0124 232 :
59 00000000'9F D0 0147 233 MODE TO,20$,KRNL ; KERNEL MODE TO ACCESS PCB
59 00BC C9 D0 014E 234 MOVL @#$CH$GL_CURPCB,R9 ; GET CURRENT PCB ADDRESS
0153 235 MOVL PCB$UIC(R9),R9 ; PICK UP UIC FROM PCB
0154 236 MODE FROM,20$ ; ... AND GET BACK TO USER MODE
0154 237 :
0154 238 : R9 NOW CONTAINS 'MY' UIC
59 5A 02 9A 0154 239 MOVZBL #2,R10 ; GET COND3 TABLE INDEX NUMBER INTO A REG
00010000 8F C1 0157 240 ADDL3 #^X10000,R9,COND3_E[R10] ; PUT DIFF GROUP UIC INTO 3RD TABLE ELT
0000025B'EF4A 5A D6 0164 241 INCL R10 ; POINT TO 4TH COND3 TABLE ELEMENT
0000025B'EF4A 59 D0 0166 242 MOVL R9,COND3_E[R10] ; PUT MY UIC INTO TABLE
0000025B'EF4A 5A D6 016E 243 INCL R10 ; POINT TO 5TH COND3 TABLE ELEMENT
0000025B'EF4A 59 01 C1 0170 244 ADDL3 #1,R9,COND3_E[R10] ; PUT DIFF MEMBER UIC INTO THE TABLE
0179 245 $CREMBX_S CHAN=MBXCHAN, LOGNAM=SUBJPRN, - ; GET MAILBOX FOR PROCESS
0179 246 MAXMSG=#120, PROMSK=#0, BUFQUO=#240
019E 247 SS_CHECK NORMAL ; CHECK NORMAL COMPLETION
01CC 248 $GETCHN_S CHAN=MBXCHAN, - ; GET CHAN INFO (UNIT NUMBER)
01CC 249 PRIBUF=MBXCHANINFO
01E6 250 SS_CHECK NORMAL ; CHECK NORMAL COMPLETION
00000088'EF 00000020'EF 3C 0214 251 MOVZWL MBXCHANINFO+8+DIB$W_UNIT,MBXUNIT ; SAVE MAILBOX UNIT NUMBER
021F 252 $BINTIM_S TIMBUF=TIME_PAST, - ; SET UP A PAST TIME IN ABSOLUTE FORMAT
021F 253 TIMADR=ABS_PAST
05 0232 254 RSB ; RETURN TO MAIN ROUTINE
0233 255 TM_CLEANUP::
0233 256 $DELMBX_S MBXCHAN ; DELETE TERMINATION MAILBOX
FDBC' 30 0241 257 BSBW MOD_MSG_PRINT ; PRINT TEST MODULE END MSG
05 0244 258 RSB ; RETURN TO MAIN ROUTINE
```

```
0245 260 .SBTTL CONDITION SUBROUTINES - SETUP AND CLEANUP
0245 261 :++
0245 262 : FUNCTIONAL DESCRIPTION:
0245 263 :
0245 264 : COND1 AND COND2 CLEANUP ARE SUBROUTINES WHICH ARE EXECUTED
0245 265 : BEFORE AND AFTER THE VERIFY SUBROUTINE, RESPECTIVELY, WHENEVER A NEW
0245 266 : CONDITION X VALUE IS SELECTED (SEE FUNCTIONAL DESCRIPTION OF SUCCOMMON
0245 267 : ROUTINE IN SUCCOMMON.MAR). ANY SETUP FUNCTION PARTICULAR TO THE
0245 268 : CONDITION X TABLE IS INCLUDED IN THE COND1 SUBROUTINE AND CLEANED
0245 269 : UP, IF NECESSARY, IN THE COND2 CLEANUP SUBROUTINE. THIS INCLUDES,
0245 270 : ESPECIALLY, CODE TO DETECT CONFLICTS AMONG CURRENT ENTRIES IN TWO
0245 271 : OR MORE CONDITION TABLES. IF A CONFLICT IS DETECTED, A NON-ZERO
0245 272 : VALUE IS STORED INTO CONFLICT, WHICH CAUSES THE CALLING ROUTINE
0245 273 : (SUCCOMMON) TO SKIP THE CURRENT ENTRY IN THE CONDITION X TABLE.
0245 274 :
0245 275 : CALLING SEQUENCE:
0245 276 :
0245 277 : BSBW COND1 BSBW COND2_CLEANUP
0245 278 : WHERE X = 1,2,3,4,5
0245 279 :
0245 280 : INPUT PARAMETERS:
0245 281 :
0245 282 : CONFLICT = 0
0245 283 :
0245 284 : IMPLICIT INPUTS:
0245 285 :
0245 286 : R2,3,4,5,6 CONTAIN CURRENT CONDITION TABLE INDEX VALUES
0245 287 : FOR COND1 TABLES 1,2,3,4,5, RESPECTIVELY.
0245 288 :
0245 289 : OUTPUT PARAMETERS:
0245 290 :
0245 291 : CONFLICT SET TO NON-ZERO IF COND1 TABLE CONFLICT DETECTED.
0245 292 :
0245 293 : IMPLICIT OUTPUTS:
0245 294 :
0245 295 : R2,3,4,5,6 PRESERVED
0245 296 :
0245 297 : COMPLETION CODES:
0245 298 :
0245 299 : NONE
0245 300 :
0245 301 : SIDE EFFECTS:
0245 302 :
0245 303 : NONE
0245 304 :
0245 305 : --
0245 306 :
0245 307 :
0245 308 :
0245 309 COND1::
05 0245 310 RSB ; RETURN TO MAIN ROUTINE
0246 311 COND1_CLEANUP::
05 0246 312 RSB ; RETURN TO MAIN ROUTINE
0247 313 COND2::
05 0247 314 RSB ; RETURN TO MAIN ROUTINE
0248 315 COND2_CLEANUP::
05 0248 316 RSB ; RETURN TO MAIN ROUTINE
```

```
02 54 D1 0249 317 COND3::
    35 13 0249 318 CMPL R4,#2
    0000017C'EF42 0000011C'8F D1 024C 319 BEQL 20$ ; DOES CONDITION 3 SPECIFY DIFFERENT GROUP ?
    000001BE'EF43 D5 024E 320 ; YES -- THIS IS CONFLICT BECAUSE OF
    10 12 024E 321 CMPL #SUBJPID,COND1_E[R2] ; ... USE OF COMMON CLUSTERS
    19 13 025A 322 BEQLU 10$ ; NON-ZERO PID SPECIFIED ?
    05 025C 323 TSTL COND2_E[R3] ; YES -- PROCESS IS 'OTHER'
    12 0263 324 BNEQ 10$ ; IS PROCESS NAME SPECIFIED ?
    0265 325 5$: ; YES -- SUBJECT PROCESS IS 'OTHER'
    0265 326
    0265 327 : PROCESS IS 'SELF'
    0265 328
    0000025B'EF44 00000000'EF D1 0265 329 CMPL ONES,COND3_E[R4] ; DOES CONDITION 3 SPECIFY 'SELF' ?
    1B 13 0271 330 BEQLU COND3X ; YES -- THEN ALL 3 CONDIT'NS ARE CONSISTENT
    0E 11 0273 331 BRB 20$ ; NO -- INDICATE CONFLICT & GET OUT
    0275 332 10$:
    0275 333 : PROCESS IS 'OTHER'
    0275 334
    0000025B'EF44 00000000'EF D1 0275 335 CMPL ONES,COND3_E[R4] ; DOES CONDITION 3 SPECIFY 'SELF' ?
    0B 12 0281 337 BNEQU COND3X ; NO -- THEN ALL 3 CONDITIONS ARE CONSISTENT
    00000000'EF 00000000'EF 90 0283 338 20$: MOVB ONES,CONFLICT ; YES -- INDICATE CONFLICT
    05 028E 340 COND3X: ; RETURN TO MAIN ROUTINE
    05 028E 341 RSB ; RETURN TO MAIN ROUTINE
    05 028F 342 COND3_CLEANUP:: RSB ; RETURN TO MAIN ROUTINE
    05 0290 343 COND4:: RSB ; RETURN TO MAIN ROUTINE
    05 0290 345 COND4_CLEANUP:: RSB ; RETURN TO MAIN ROUTINE
    05 0291 346 COND5:: RSB ; RETURN TO MAIN ROUTINE
    05 0292 347 COND5_CLEANUP:: RSB ; RETURN TO MAIN ROUTINE
    05 0293 350 RSB ; RETURN TO MAIN ROUTINE
    05 0293 351 RSB ; RETURN TO MAIN ROUTINE
```

```
0294 353 .SBTTL FORM_CONDS
0294 354 :++
0294 355 : FUNCTIONAL DESCRIPTION:
0294 356 :
0294 357 :     FORM CONDS FORMATS AND PRINTS INFORMATION ABOUT
0294 358 :     THE CURRENT ELEMENT IN EACH OF THE CONDITION TABLES.
0294 359 :
0294 360 : CALLING SEQUENCE:
0294 361 :
0294 362 :     BSBW FORM_CONDS
0294 363 :
0294 364 : INPUT PARAMETERS:
0294 365 :
0294 366 :     NONE
0294 367 :
0294 368 : IMPLICIT INPUTS:
0294 369 :
0294 370 :     R2,3,4,5,6 CONTAIN CURRENT CONDITION TABLE INDEX VALUES
0294 371 :     FOR COND TABLES 1,2,3,4,5, RESPECTIVELY.
0294 372 :     FOR X = 1,2,3,4,5 :
0294 373 :         CONDX_T - TITLE TEXT FOR CONDX TABLE
0294 374 :         CONDX_TAB - ELEMENT TEXT FOR CONDX TABLE
0294 375 :         CONDX_C - CONTEXT OF THE CONDX TABLE
0294 376 :         CONDX_E - DATA ELEMENTS OF THE CONDX TABLE
0294 377 :
0294 378 : OUTPUT PARAMETERS:
0294 379 :
0294 380 :     NONE
0294 381 :
0294 382 : IMPLICIT OUTPUTS:
0294 383 :
0294 384 :     NONE
0294 385 :
0294 386 : COMPLETION CODES:
0294 387 :
0294 388 :     NONE
0294 389 :
0294 390 : SIDE EFFECTS:
0294 391 :
0294 392 :     NONE
0294 393 :
0294 394 :--
0294 395 :
0294 396 :
0294 397 :
0294 398 FORM_CONDS::
0294 399 $FAO_S MSG1_INP_CTL,FAO_LEN,FAO_DESC,TESTNUM
0283 400 : FORMAT CONDITIONS HEADER MSG
0283 401 : ... AND PRINT IT
0283 402 : IS CONDITION 1 NULL ?
0283 403 : NO -- CONTINUE
0283 404 : YES -- SUBROUTINE IS FINISHED
0283 405 10$:
0283 406 : MOVAL COND1_T,MSG_A : SAVE ADDRESS OF CONDITION 1 TITLE FOR FAO
0283 407 : MOVL COND1_TAB[R2],MSG_B : SAVE ADDR OF COND 1 CURR TEXT ELT FOR FAO
0283 408 : MOVB #COND1_C,MSG_CTXT : SAVE CONDITION 1 CONTEXT FOR FAO
0283 409 : MOV_VAL COND1_C,COND1_E[R2],MSG_DATA1 : GIVE COND 1 DATA VALUE TO FAO
```

```
14 FD4A' 30
   00 91
   03 12
  00BF 31
00000000'EF 00000131'EF DE
00000000'EF 0000013E'EF D0
00000000'EF 00 90
```

```

      FD21' 30 02DC 410      BSBW WRITE_MSG2      : FORMAT AND WRITE CONDITION 1 MSG
      14 00 91 02DF 411      CMPB #COND2_C,#NULL    : IS CONDITION 2 NULL ?
      03 12 02E2 412      BNEQU 20$                : NO -- CONTINUE
      0096 31 02E4 413      BRW FORM_CONDSX          : YES -- SUBROUTINE IS FINISHED
                                20$:
      00000000'EF 00000188'EF DE 02E7 415      MOVAL COND2_T,MSG_A      : SAVE ADDRESS OF CONDITION 2 TITLE FOR FAO
      00000000'EF 0000019E'EF43 DO 02F2 416      MOVL COND2_TAB[R3],MSG_B    : SAVE ADDR OF COND 2 CURR TEXT ELT FOR FAO
      00000000'EF 00 90 02FE 417      MOVB #COND2_C,MSG_CTXT      : SAVE CONDITION 2 CONTEXT FOR FAO
      FCF8' 30 0305 418      MOV VAL COND2_C,COND2_E[R3],MSG_DATA1 : GIVE COND 2 DATA VALUE TO FAO
      14 00 91 0305 419      BSBW WRITE_MSG2      : FORMAT AND WRITE CONDITION 2 MSG
      03 12 0308 420      CMPB #COND3_C,#NULL    : IS CONDITION 3 NULL ?
      006D 31 030B 421      BNEQU 30$                : NO -- CONTINUE
                                30$:
      00000000'EF 000001C6'EF DE 0310 423      MOVAL COND3_T,MSG_A      : SAVE ADDRESS OF CONDITION 3 TITLE FOR FAO
      00000000'EF 000001D4'EF44 DO 031B 425      MOVL COND3_TAB[R4],MSG_B    : SAVE ADDR OF COND 3 CURR TEXT ELT FOR FAO
      00000000'EF 00 90 0327 426      MOVB #COND3_C,MSG_CTXT      : SAVE CONDITION 3 CONTEXT FOR FAO
      FCCF' 30 032E 427      MOV VAL COND3_C,COND3_E[R4],MSG_DATA1 : GIVE COND 3 DATA VALUE TO FAO
      14 00 91 0331 428      BSBW WRITE_MSG2      : FORMAT AND WRITE CONDITION 3 MSG
      47 13 0334 429      CMPB #COND4_C,#NULL    : IS CONDITION 4 NULL ?
      00000000'EF 0000026F'EF DE 0336 431      BEQLU FORM_CONDSX      : YES -- SUBROUTINE IS FINISHED
      00000000'EF 0000028F'EF45 DO 0341 432      MOVAL COND4_T,MSG_A      : SAVE ADDRESS OF CONDITION 4 TITLE FOR FAO
      00000000'EF 00 90 034D 433      MOVL COND4_TAB[R5],MSG_B    : SAVE ADDR OF COND 4 CURR TEXT ELT FOR FAO
      FCA9' 30 0354 434      MOVB #COND4_C,MSG_CTXT      : SAVE CONDITION 4 CONTEXT FOR FAO
      14 14 91 0354 435      MOV VAL COND4_C,COND4_E[R5],MSG_DATA1 : GIVE COND 4 DATA VALUE TO FAO
      21 13 0357 436      BSBW WRITE_MSG2      : FORMAT AND WRITE CONDITION 4 MSG
      00000000'EF 0000030B'EF DE 035A 437      CMPB #COND5_C,#NULL    : IS CONDITION 5 NULL ?
      00000000'EF 0000030B'EF46 DO 0367 438      BEQLU FORM_CONDSX      : YES -- SUBROUTINE IS FINISHED
      00000000'EF 14 90 0373 439      MOVAL COND5_T,MSG_A      : SAVE ADDRESS OF CONDITION 5 TITLE FOR FAO
      FC83' 30 037A 440      MOVL COND5_TAB[R6],MSG_B    : SAVE ADDR OF COND 5 CURR TEXT ELT FOR FAO
      05 037D 441      MOVB #COND5_C,MSG_CTXT      : SAVE CONDITION 5 CONTEXT FOR FAO
      037D 442      MOV VAL COND5_C,COND5_E[R6],MSG_DATA1 : GIVE COND 5 DATA VALUE TO FAO
      037D 443      BSBW WRITE_MSG2      : FORMAT AND WRITE CONDITION 5 MSG
      05 037D 444      FORM_CONDSX:
      RSB
      : RETURN TO CALLER
```

```
037E 446 .SBTTL VERIFY
037E 447 :++
037E 448 : FUNCTIONAL DESCRIPTION:
037E 449 :
037E 450 :         VERIFY IS CALLED ONCE FOR EACH COMBINATION OF CONDITION
037E 451 :         TABLE VALUES (AS DETERMINED BY THE INDEX REGISTERS R2,3,4,5,6 FOR
037E 452 :         COND TABLES 1,2,3,4,5, RESPECTIVELY). VERIFY ESTABLISHES THE CONDITIONS
037E 453 :         SPECIFIED BY THE COND TABLES AND ISSUES THE SUBJECT SYSTEM SERVICE
037E 454 :         ($SCH/CANWAK). THEN, THE SUCCESSFUL OPERATION OF THE SERVICE IS VERIFIED
037E 455 :         BY EXAMINING THE STATUS CODE RETURNED, THE VALUES FOR RETURN ARGUMENTS
037E 456 :         AND THE FUNCTIONALITY PERFORMED. THE EXAMINATIONS TAKE THE FORM OF
037E 457 :         COMPARISONS AGAINST EXPECTED VALUES. ANY FAILING COMPARISON CAUSES AN
037E 458 :         ERR_EXIT MACRO TO BE EXECUTED (EITHER DIRECTLY, OR INDIRECTLY,
037E 459 :         THROUGH THE SS_CHECK MACRO); ERR_EXIT SETS EFLAG TO NON-ZERO,
037E 460 :         PRINTS ERROR MESSAGES AND CAUSES AN IMMEDIATE RSB TO CALLER.
037E 461 :         WHEN ERR_EXIT IS EXECUTED, FURTHER CALLS TO VERIFY ARE SUPPRESSED,
037E 462 :         AND, AFTER EXECUTING CLEANUP SUBROUTINES, THE IMAGE EXITS.
037E 463 :
037E 464 : CALLING SEQUENCE:
037E 465 :
037E 466 :         BSBW VERIFY
037E 467 :
037E 468 : INPUT PARAMETERS:
037E 469 :
037E 470 :         NONE
037E 471 :
037E 472 : IMPLICIT INPUTS:
037E 473 :
037E 474 :         R2,3,4,5,6 CONTAIN CURRENT CONDITION TABLE INDEX VALUES
037E 475 :         FOR COND TABLES 1,2,3,4,5, RESPECTIVELY.
037E 476 :         FOR X = 1,2,3,4,5 :
037E 477 :             CONDX_E - ADDRESS OF TABLE OF DATA VALUES FOR CONDX
037E 478 :             TABLE. IF THE CONTEXT OF TABLE X IS A SYSTEM SERVICE
037E 479 :             ARGUMENT, THE ARGUMENT NAME MAY BE USED AS A SYNONYM
037E 480 :             FOR CONDX_E.
037E 481 :
037E 482 : OUTPUT PARAMETERS:
037E 483 :
037E 484 :         NONE
037E 485 :
037E 486 : IMPLICIT OUTPUTS:
037E 487 :
037E 488 :         VERIFY HAS NO OUTPUT. SINCE ITS PURPOSE IS TO TEST FOR ERRORS,
037E 489 :         IT MERELY RETURNS TO CALLER NORMALLY AFTER THE TESTS, PROVIDING
037E 490 :         ALL WERE SUCCESSFUL; IF AN ERROR IS DISCOVERED, RETURN IS VIA
037E 491 :         AN ERR_EXIT OR SS_CHECK MACRO, BOTH OF WHICH DOCUMENT DETECTED
037E 492 :         ERRORS.
037E 493 :
037E 494 : COMPLETION CODES:
037E 495 :
037E 496 :         EFLAG SET TO NON-ZERO IF ERROR ENCOUNTERED.
037E 497 :
037E 498 : SIDE EFFECTS:
037E 499 :
037E 500 :         SS_CHECK AND ERR_EXIT MACROS CAUSE PREMATURE EXIT
037E 501 :         (VIA RSB) IF ERROR ENCOUNTERED.
037E 502 :
```

```
037E 503 ;--
037E 504
037E 505
037E 506
037E 507 VERIFY::
037E 508 TSTB CFLAG ; SHOULD CONDITIONS BE PRINTED ?
0384 509 BEQL 5$ ; NO -- CONTINUE
0386 510 BSBW FORM_CONDS ; YES -- FMT & PRINT ALL CONDS FOR THIS T.C.
0389 511 5$:
0389 512 MOVL SELFPIID,SUBJPID ; ASSUME THE SUBJECT PID IS SELF
0394 513 CLRL ZEROPIID ; CLEAR ZERO PID
039A 514 CLRB LONG_WAIT ; INITIALIZE LONG WAIT INDICATOR
03A0 515 CMPL ONES,COND3_E[R4] ; IS PROCESS FOR THIS TEST CASE SELF ?
03AC 516 BNEQU 7$ ; NO -- CONTINUE
03AE 517 BRW 10$ ; YES -- DON'T CREATE A PROCESS
03B1 518 7$:
03B1 519 $CREPRC_S PIDADR=CREPID, PRCNAM=SUBJPRN, -
03B1 520 UIC=COND3_E[R4], IMAGE=IMAGNAM, -
03B1 521 MBXUNT=MBXUNIT;; QUOTA=QUOTALIST
03E8 522 ; CREATE THE SUBJECT PROCESS
03E8 523 SS_CHECK NORMAL ; ... AND MAKE SURE IT CREATED OK
0416 524 MOVL CREPID,SUBJPID ; MAKE THE SUBJT PID = THE ONE JUST CREATED
0421 525 10$:
0421 526 MOVL COND1_E[R2],DEST_PIDADR ; GET PID ADDRESS OUT OF TABLE
042D 527 MOVL COND2_E[R3],R9 ; PRCNAM ADDR INTO REG FOR INDIRECT REF'RNCE
0435 528 MOVQ COND4_E[R5],R7 ; GET DAYTIM, REPTIM ARG ADDRESSES INTO REGS
043D 529 $CANWAK_S SUBJPID ; ISSUE PRELIM CANWAK TO CLEAR THE DECKS
044C 530 SS_CHECK NORMAL ; CHECK FOR NORMAL RETURN
047A 531 $SETIMR_S DAYTIM=DELTA_10SEC, - ; SET 'WATCHDOG' TIMER TO TRIP IF LONG WAIT
047A 532 ASTADR=WATCH_AST
0491 533 SS_CHECK NORMAL ; CHECK FOR NORMAL RETURN
04BF 534 $GETTIM_S ABS_3SEC ; GET CURRENT TIME
04CC 535 SS_CHECK NORMAL ; CHECK FOR NORMAL RETURN
04FA 536 ADDL POS_3SEC,ABS_3SEC ; ADD 3 SECONDS TO LOWER LONGWORD
0505 537 ADWC POS_3SEC+4,ABS_3SEC+4 ; ADD POSSIBLE CARRY TO HIGHER LONGWORD
0510 538 ; ABS_3SEC IS NOW VALID IF USED IN $SCHDWK
0510 539 :
0510 540 : ***** SYSTEM SERVICE CALL WHICH IS THE SUBJECT OF THIS TEST CASE *****
0510 541 :
0510 542 $SCHDWK_S PIDADR=@DEST_PIDADR, PRCNAM=(R9), -
0510 543 DAYTIM=(R7), REPTIM=(R8)
0523 544 CMPL R0,#SS$_NORMAL ; CODE RECEIVED = CODE EXPECTED ?
052A 545 BEQLU 15$ ; YES -- CONTINUE
052C 546 MOVL #SS$_NORMAL,EXPV ; NO -- LOAD UP EXPECTED AND
0537 547 MOVL R0,RCV ; ... RECEIVED VALUES, THEN EXIT
053E 548 ERR_EXIT LONG,<INCORRECT STATUS CODE RETURNED FROM SCHDWK>
058D 549 15$:
058D 550 TSTL DEST_PIDADR ; PID RETURNED BY SCHDWK ?
0593 551 BEQL 20$ ; NO -- KEEP GOING
0595 552 CMPL SUBJPID,@DEST_PIDADR ; YES -- IS IT THE CORRECT ONE ?
05A0 553 BEQL 20$ ; YES -- CONTINUE
05A2 554 MOVL SUBJPID,EXPV ; NO --LOAD UP EXPECTED AND
05AD 555 MOVL @DEST_PIDADR,RCV ; ... RECEIVED VALUES, THEN EXIT
05B8 556 ERR_EXIT LONG,<INCORRECT PID RETURNED BY SCHDWK>
05FD 557 20$:
05FD 558 $CLREF_S EFN=#32 ; CLEAR EVENT FLAG 32
0606 559 BLBS R0,25$ ; KEEP GOING IF OK
```

```
0609 560 SS_CHECK NORMAL ; USE SS_CHECK MACRO TO TERMINATE TEST MOD
0637 561 25$: $SETIMR_S EFN=#32, - ; SET A 2-SECOND TIMER
0637 562 DAYTIM=DELTA_2SEC
0637 563
0648 564 SS_CHECK NORMAL ; CHECK FOR NORMAL RETURN
0676 565 $WAITFR S EFN=#32 ; WAIT 2 SECONDS TO ALLOW PROPER SYNCH'N
067F 566 SS_CHECK NORMAL ; CHECK FOR NORMAL RETURN
06AD 567 CLRL ZEROPID ; CLEAR OUT ZERO PID SCHDWK MAY HAVE SET
06B3 568
06B3 569 : ***** SYSTEM SERVICE CALL WHICH IS THE SUBJECT OF THIS TEST CASE *****
06B3 570 :
06B3 571 $CANWAK_S PIDADR=@DEST_PIDADR, PRNAM=(R9)
06C2 572 ; CANCEL SCHEDULED WAKE OR REPEAT
06C2 573 Cmpl RO,#SS$ _NORMAL ; CODE RECEIVED = CODE EXPECTED ?
06C9 574 BEQL 30$ ; YES -- CONTINUE
06CB 575 MOVL #SS$ _NORMAL,EXPV ; NO -- LOAD UP EXPECTED AND
06D6 576 MOVL RO,RCV ; ... RECEIVED VALUES, THEN EXIT
06DD 577 ERR_EXIT LONG,<INCORRECT STATUS CODE RETURNED FROM CANWAK>
072C 578 30$: TSTL DEST_PIDADR ; PID RETURNED BY CANWAK ?
072C 579 BEQL 40$ ; NO -- KEEP GOING
0732 580 Cmpl SUBJPID,@DEST_PIDADR ; YES -- IS IT THE CORRECT ONE ?
0734 581 BEQL 40$ ; YES -- CONTINUE
073F 582 MOVL SUBJPID,EXPV ; NO --LOAD UP EXPECTED AND
0741 583 MOVL @DEST_PIDADR,RCV ; ... RECEIVED VALUES, THEN EXIT
074C 584 ERR_EXIT LONG,<INCORRECT PID RETURNED BY CANWAK>
0757 585
079C 586 40$: Cmpl CREPID,SUBJPID ; WAS A PROCESS CREATED ?
079C 587 BEQL 50$ ; YES -- GO WAIT FOR IT TO END
07A7 588 BRW 60$ ; NO -- GO ISSUE HIBER
07A9 589
07AC 590 50$: $ASCEFC S EFN=#64, NAME=CLUSTER ; ASSOC WITH CLUSTER FOR PROCESS SYNCHRO'N
07AC 591 SS_CHECK NORMAL ; CHECK FOR NORMAL STATUS
07C3 592 $SETEF S EFN=#65 ; LET CREATED PROC EXIT
07F1 593 SS_CHECK WASCLR ; BIT 65 SHOULD HAVE BEEN CLEAR
07FE 594 $WAITFR S EFN=#64 ; WAIT UNTIL CREATED PROC CAN HIBERNATE
082C 595 SS_CHECK NORMAL ; CHECK FOR NORMAL RETURN
0839 596 $DACEFC S EFN=#64 ; DISASSOC CLUSTER
0867 597 SS_CHECK NORMAL ; CHECK FOR NORMAL STATUS
0874 598 $QIOW_S CHAN=MBXCHAN, FUNC=#IOS READVBLK, -
08A2 599 P1=MBXBUFF+8, P2=MBXBUFF
08A2 600
08CB 601
08CB 602 SS_CHECK NORMAL ; WAIT FOR CREATED PROCESS TO SEND MAIL
08F9 603 BRB 70$ ; CHECK FOR NORMAL STATUS CODE
08FB 604 60$: ; ... AND GO SEE IF WE WERE STUCK IN HIBER
08FB 605 $HIBER S ; HIBERNATE TO SATISFY OUTSTANDING WAKE
0902 606 SS_CHECK NORMAL ; ... MAKE SURE IT FINISHED OK
0930 607 70$:
0930 608 :
0930 609 : CHECK TO SEE IF STUCK IN HIBER ..... IF LONG WAIT
0930 610 : IS SET AND DID NOT EXPECT LONG WAIT, ISSUE ERR_EXIT
0930 611 : SAYING "STUCK IN HIBER".
0930 612 :
0930 613
0930 614 TSTB LONG WAIT ; DID WE WAIT A LONG TIME ?
0936 615 BEQL VERIFYX ; NO -- THIS TEST CASE IS FINISHED
0938 615 TSTL R5 ; YES -- DID WE EXPECT TO REMAIN IN HIB'N ?
093A 616 BEQL VERIFYX ; YES -- THAT'S OK
```

SATSSS61  
V04-000

SATS SYST SERV TESTS \$SCH/CANWAK (SUCC 16-SEP-1984 00:59:38 VAX/VMS Macro V04-00 Page 15  
VERIFY 5-SEP-1984 04:32:50 [UETPSY.SRC]SATSSS61.MAR;1 (1)

00000000'EF	94	093C	617	CLRB	EXPV	; NO -- SOMETHING WENT WRONG .... LOAD UP ; ... EXPECTED & RECEIVED VALUES, THEN EXIT ERR_EXIT BYTE,<SUBJECT PROCESS WAS LEFT IN HIBERNATION> ; RETURN TO CALLER
00000000'EF	94	0942	618	CLRB	RECV	
		0948	619			
		0994	620	VERIFYX:		
	05	0994	621	RSB		

```
0995 623 .SBTTL VFY_CLEANUP
0995 624 :++
0995 625 : FUNCTIONAL DESCRIPTION:
0995 626 :
0995 627 : VFY_CLEANUP EXECUTES SYSTEM SERVICES TO UNDO THE
0995 628 : EFFECT OF THOSE ISSUED IN THE VERIFY SUBROUTINE. VFY_CLEANUP MUST
0995 629 : ASSUME THAT VERIFY MAY NOT HAVE EXECUTED IN ITS ENTIRETY (IF AN
0995 630 : ERROR IS FOUND). ALSO, VFY_CLEANUP MAY ISSUE SS_CHECK OR ERR_EXIT
0995 631 : ONLY AFTER PERFORMING ALL OF ITS CLEANUP OPERATIONS; THIS IS REQUIRED
0995 632 : IN THE EVENT THAT VFY_CLEANUP IS CALLED DURING ERROR PROCESSING,
0995 633 : WHEN PERFORMING THE REQUIRED CLEANUP IS MORE IMPORTANT THAN
0995 634 : POSSIBLY DISCOVERING A SECOND ERROR.
0995 635 :
0995 636 : CALLING SEQUENCE:
0995 637 :
0995 638 : BSBW VFY_CLEANUP
0995 639 :
0995 640 : INPUT PARAMETERS:
0995 641 :
0995 642 : NONE
0995 643 :
0995 644 : IMPLICIT INPUTS:
0995 645 :
0995 646 : R2,3,4,5,6 CONTAIN CURRENT CONDITION TABLE INDEX VALUES
0995 647 : FOR COND TABLES 1,2,3,4,5, RESPECTIVELY.
0995 648 : FOR X = 1,2,3,4,5 :
0995 649 : CONDX_E - ADDRESS OF TABLE OF DATA VALUES FOR CONDX
0995 650 : TABLE. IF THE CONTEXT OF TABLE X IS A SYSTEM SERVICE
0995 651 : ARGUMENT, THE ARGUMENT NAME MAY BE USED AS A SYNONYM
0995 652 : FOR CONDX_E.
0995 653 :
0995 654 : OUTPUT PARAMETERS:
0995 655 :
0995 656 : NONE
0995 657 :
0995 658 : IMPLICIT OUTPUTS:
0995 659 :
0995 660 : NONE
0995 661 :
0995 662 : COMPLETION CODES:
0995 663 :
0995 664 : EFLAG SET TO NON-ZERO IF ERROR ENCOUNTERED.
0995 665 :
```

SATSSS61  
V04-000

SATS SYST SERV TESTS \$SCH/CANWAK (SUCC 16-SEP-1984 00:59:38 VAX/VMS Macro V04-00  
VFY\_CLEANUP 5-SEP-1984 04:32:50 [UETPSY.SRC]SATSSS61.MAR;1

Page 17  
(2)

0000011C'EF

00000118'EF  
OF

D1  
12

05

```
0995 667 : SIDE EFFECTS:
0995 668 :
0995 669 : SS_CHECK AND ERR_EXIT MACROS CAUSE PREMATURE EXIT
0995 670 : (VIA RSB) IF ERROR ENCOUNTERED.
0995 671 :
0995 672 :--
0995 673 :
0995 674 :
0995 675 :
0995 676 VFY_CLEANUP::
0995 677     $CANWAK_S SUBJPID           ; CANCEL ANY POSSIBLE OUTSTANDING WAKES
09A4 678     $CANTIM_S              ; CANCEL WATCHDOG TIMER
09AD 679     CMPL -CREPID,SUBJPID    ; WAS A PROCESS CREATED FOR THIS TEST CASE ?
09B8 680     BNEQU VFY_CLEANUPX      ; NO -- JUST EXIT
09BA 681     $DELPRC_S SUBJPID       ; YES -- DELETE IT
09C9 682 VFY_CLEANUPX:
09C9 683     RSB                     ; RETURN TO CALLER
```

```

09CA 685      .SBTTL  WATCH_AST
09CA 686      :
09CA 687      : WATCH_AST SHOULD BE ENTERED ONLY WHEN THE CREATING OR CREATED
09CA 688      : PROCESS IS HIBERNATING. IT IS SCHEDULED WITH A 10-SECOND TIMER,
09CA 689      : WHICH IS CANCELED BEFORE DELIVERY IN ALL CASES EXCEPT WHEN THE
09CA 690      : SUBJECT PROCESS GOES INTO AN UNSATISFIED HIBERNATION. WHEN
09CA 691      : WATCH_AST IS ENTERED, IT SETS A FLAG INDICATING IT WAS ENTERED
09CA 692      : (LONG-WAIT) TO NON-ZERO, AND ISSUES A $WAKE FOR THE SUBJECT
09CA 693      : PROCESS; THIS SHOULD CLEAR THE HIBERNATION. BACK IN THE MAIN
09CA 694      : ROUTINE, A CHECK IS MADE TO SEE IF THE WATCH_AST WAS ENTERED
09CA 695      : AND WHETHER OR NOT SUCH ENTRY WAS EXPECTED. AN UNEXPECTED ENTRY
09CA 696      : TO WATCH_AST CAUSES AN ERR_EXIT.

```

```

00000130'EF  00000000'EF  0000  09CA  698  WATCH_AST:
                                09CA  699  .WORD  0
                                09CC  700  .MOVB  ONES, LONG_WAIT
                                09D7  701  $WAKE_S SUBJPID
                                04   09E6  702  RET
                                09E7  703  .END
                                : ENTRY MASK
                                : INDICATE THAT THE AST WAS ENTERED
                                : WAKE THE (PRESUMABLY) HIBERNATING PROCESS
                                : ... AND GET OUT

```

SSSS	= 00000952	R	04	CTL\$GL_PHD	*****	X	04
SSSCHARS	= 00000027			DELTA_TOSEC	000000A8	R	02
SSSCHARS1	= 00000014			DELTA_1SEC	00000090	R	02
SSSCHARS2	= 00000014			DELTA_2SEC	00000098	R	02
SSSCHARS3	= 00000014			DELTA_3SEC	000000A0	R	02
SSSCHARS4	= 0000000C			DELTA_QSEC	000000B0	R	02
SSSCHARS5	= 00000000			DESC	= 00000010	G	
SS\$COND_A	= 00000003			DEST_PIDADR	0000010C	R	03
SS\$STRINGS	= 00000001			DIB\$K_LENGTH	= 00000074		
SS\$STRINGS2	= 00000005			DIB\$W_UNIT	= 0000000C		
\$ST1	= 00000001			EFLAG	*****	X	04
\$ST2	= 00000004			EXPV	*****	X	04
ABS_3SEC	00000120	R	03	FAQ_DESC	*****	X	04
ABS_PAST	00000128	R	03	FAQ_LEN	*****	X	04
BYTE	= 00000001	G		FORM_CONDS	*****	X	04
CFLAG	*****	X	04	FORM_CONDSX	00000294	RG	04
CHMRTN	*****	X	04	IMAGNAM	0000037D	R	04
CHM_CONT	*****	X	04	IOS_READVBLK	00000065	R	02
CLUSTER	00000084	R	02	LONG	*****	X	04
COMP_SC	*****	X	04	LONG_WAIT	= 00000004	G	
COND1	00000245	RG	04	MBXB0FF	00000130	R	03
COND1_C	= 00000000			MBXCHAN	0000008C	R	03
COND1_CLEANUP	00000246	RG	04	MBXCHANINFO	00000008	R	03
COND1_E	0000017C	R	03	MBXUNIT	0000000C	R	03
COND1_H	0000013D	RG	03	MOD_MSG_CODE	00000088	R	03
COND1_T	00000131	R	03	MOD_MSG_PRINT	*****	X	04
COND1_TAB	0000013E	R	03	MSGT_INP_CTL	*****	X	04
COND2	00000247	RG	04	MSG3_ERR_CTL	00000019	R	02
COND2_C	= 00000000			MSG_A	00000039	RG	02
COND2_CLEANUP	00000248	RG	04	MSG_B	*****	X	04
COND2_E	000001BE	R	03	MSG_CTXT	*****	X	04
COND2_H	0000019D	RG	03	NOTARG	*****	X	04
COND2_T	00000188	R	03	NULL	= 00000000	G	
COND2_TAB	0000019E	R	03	ONES	= 00000014	G	
COND3	00000249	RG	04	ONE_SEC	*****	X	03
COND3X	0000028E	R	04	OUTPUT_MSG	= 00989680		
COND3_C	= 00000000			PCBSL_OIC	*****	X	04
COND3_CLEANUP	0000028F	RG	04	PCV	= 000000BC		
COND3_E	0000025B	R	03	PHD\$Q_PRIVMSK	*****	X	04
COND3_H	000001D3	RG	03	POS_3SEC	= 00000000		
COND3_T	000001C6	R	03	PRIVMASK	000000B8	R	02
COND3_TAB	000001D4	R	03	PRIV_ARGS	00000000	R	03
COND4	00000290	RG	04	PROCESS_ERR	= 00000002		
COND4_C	= 00000000			QUAD	*****	X	04
COND4_CLEANUP	00000291	RG	04	RECV	= 00000008	G	
COND4_E	000002EB	R	03	REST_REGS	*****	X	04
COND4_H	0000028E	RG	03	SAVE_REGS	*****	X	04
COND4_T	0000026F	R	03	SCH\$GL_CURPCB	*****	X	04
COND4_TAB	0000028F	R	03	SELFPIB	*****	X	04
COND5	00000292	RG	04	SS\$NORMAL	00000114	R	03
COND5_C	= 00000014			SS\$WASCLR	*****	X	04
COND5_CLEANUP	00000293	RG	04	SUBJPID	*****	X	04
COND5_H	0000030B	RG	03	SUBJPRN	0000011C	R	03
COND5_T	0000030B	R	03	SUCCESS	00000051	R	02
COND5_TAB	0000030B	R	03	SYSSASCEFC	*****	X	04
CONFLICT	*****	X	04	SYSSBINTIM	*****	GX	04
CREPID	00000118	R	03	SYSSCANTIM	*****	GX	04

SATSSS61  
Symbol table

SYSSCANWAK	*****	GX	04
SYSSCLREF	*****	GX	04
SYSSCMKRN	*****	GX	04
SYSSCREMBX	*****	GX	04
SYSSCREPRC	*****	GX	04
SYSSDACEFC	*****	GX	04
SYSSDELMBX	*****	GX	04
SYSSDELPRC	*****	GX	04
SYSSFAO	*****	X	04
SYSSGETCHN	*****	GX	04
SYSSGETTIM	*****	GX	04
SYSSHIBER	*****	GX	04
SYSSQIOW	*****	GX	04
SYSSSCHDWK	*****	GX	04
SYSSSETEF	*****	GX	04
SYSSSETIMR	*****	GX	04
SYSSSETPRN	*****	GX	04
SYSSSETPRV	*****	GX	04
SYSSWAITFR	*****	GX	04
SYSSWAKE	*****	GX	04
TESTNUM	*****	X	04
TEST_MOD_NAME	00000000	RG	02
TEST_MOD_NAME_D	00000009	R	02
TEST_MOD_SUCC	*****	X	04
TIME_PAST	000000C0	R	02
TMD_ADDR	*****	X	04
TM_CLEANUP	00000233	RG	04
TM_SETUP	00000000	RG	04
VERIFY	0000037E	RG	04
VERIFYX	00000994	R	04
VFY_CLEANUP	00000995	RG	04
VFY_CLEANUPX	000009C9	R	04
WATCH_AST	000009CA	R	04
WORD	= 00000002	G	
WRITE_MSG2	*****	X	04
ZEROPID	00000110	R	03

+-----+  
! Psect synopsis !  
+-----+

PSECT name	Allocation	PSECT No.	Attributes
. ABS .	00000000 ( 0.)	00 ( 0.)	NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE
\$ABSS	00000000 ( 0.)	01 ( 1.)	NOPIC USR CON ABS LCL NOSHR EXE RD WRT NOVEC BYTE
RODATA	000000E0 ( 224.)	02 ( 2.)	NOPIC USR CON REL LCL NOSHR NOEXE RD NOWRT NOVEC LONG
RWDATA	0000030C ( 780.)	03 ( 3.)	NOPIC USR CON REL LCL NOSHR NOEXE RD WRT NOVEC LONG
SATSSS61	000009E7 ( 2535.)	04 ( 4.)	NOPIC USR CON REL LCL NOSHR EXE RD WRT NOVEC BYTE

+-----+  
! Performance indicators !  
+-----+

Phase	Page faults	CPU Time	Elapsed Time
Initialization	29	00:00:00.08	00:00:00.36
Command processing	113	00:00:00.63	00:00:02.52

SATSSS61  
VAX-11 Macro Run Statistics

SATS SYST SERV TESTS

J 11  
SSCH/CANWAK (SUCC

16-SEP-1984 00:59:38  
5-SEP-1984 04:32:50

VAX/VMS Macro V04-00  
[UETPSY.SRC]SATSSS61.MAR;1

Page 21  
(2)

Pass 1	329	00:00:10.90	00:00:18.26
Symbol table sort	0	00:00:00.88	00:00:00.96
Pass 2	160	00:00:02.72	00:00:42.82
Symbol table output	18	00:00:00.12	00:00:00.14
Psect synopsis output	2	00:00:00.02	00:00:00.03
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	653	00:00:15.35	00:01:05.09

The working set limit was 1500 pages.

58672 bytes (115 pages) of virtual memory were used to buffer the intermediate code.

There were 30 pages of symbol table space allocated to hold 512 non-local and 76 local symbols.

703 source lines were read in Pass 1, producing 29 object records in Pass 2.

56 pages of virtual memory were used to define 46 macros.

-----  
! Macro library statistics !  
-----

Macro library name

Macros defined

-----	-----
\$255\$DUA28:[SHRLIB]UETP.MLB;1	8
\$255\$DUA28:[SYS.OBJ]LIB.MLB;1	2
\$255\$DUA28:[SYSLIB]STARLET.MLB;2	33
TOTALS (all libraries)	43

943 GETS were required to define 43 macros.

There were no errors, warnings or information messages.

MACRO/LIS=LIS\$:SATSSS61/OBJ=OBJ\$:SATSSS61 MSRC\$:SATSSS61/UPDATE=(ENH\$:SATSSS61)+EXECML\$/LIB+SHRLIB\$:UETP/LIB

0424

DIGITAL EQUIPMENT CORPORATION  
CONFIDENTIAL AND PROPRIETARY